

D

C

B



A

D



C

B

A




10-32 x 1/2" Long
SS Pan Head Phillips Screw



Side Tabs welded to
box would be tapped
with a 10-32 thread for
screw to tie into.



NOTE:
ALL COMPONENTS MADE OUT OF 14 GA (.075") 304 SS

UNLESS OTHERWISE SPECIFIED TOLERANCE ON FRACTIONS ARE ± 1/32 TWO PLACE DECIMALS ARE ± .015 THREE PLACE DECIMALS ARE ± .005 ANGLES ARE ± 1/2°	MATERIAL 304 SS	APPROVALS		DATE	DESCRIPTION 4"x4"x12" STAINLESS STEEL BOX WITH LOCKABLE LID		
		DRAWN: MF		3/28/2023			
		CHECKED:					
		APPROVED:					
<div></div> THIRD ANGLE PROJECTION	FINISH MILL	SIZE	DWG NO.		PART NO.	REV	
		B	4X4X12-ENCLOSURE		4X4X12-ENCLOSURE		-
				DO NOT SCALE DRAWING		SCALE = 1:2.25	SHEET 1 OF 4

LPNEMA3RXENCLSS 4X4X12




LPNEMA3RXENCLSS 4X4X12



LPNEMA3RXENCLSS 4X4X12



UNLESS OTHERWISE SPECIFIED
TOLERANCE ON
FRACTIONS ARE $\pm 1/32$
TWO PLACE DECIMALS ARE $\pm .015$
THREE PLACE DECIMALS ARE $\pm .005$
ANGLES ARE $\pm 1/2^\circ$



MATERIAL
304 SS

FINISH
MILL

APPROVALS
DRAWN: MF
CHECKED:
APPROVED:

SIZE
B

DATE
3/28/2023

DESCRIPTION

4"x4"x12" STAINLESS STEEL BOX WITH LOCKABLE LID

PART NO.

4X4X12-ENCLOSURE

REV

-

4X4X12-ENCLOSURE

DO NOT SCALE DRAWING

SCALE = 1:2.75

SHEET 2 OF 4





MODEL CREATED 3/27/2023 7:34:22 AM
MODEL LAST SAVED BY mfoley ON 3/30/2023 7:20:20 AM

D

C


B

A




LPNEMA3RXENCLSS 4X4X12



UNLESS OTHERWISE SPECIFIED TOLERANCE ON FRACTIONS ARE ± 1/32 TWO PLACE DECIMALS ARE ± .015 THREE PLACE DECIMALS ARE ± .005 ANGLES ARE ± 1/2°	MATERIAL 304 SS	APPROVALS		DATE	DESCRIPTION 4"x4"x12" STAINLESS STEEL BOX WITH LOCKABLE LID	
		DRAWN:	MF	3/28/2023		
		CHECKED:				
		APPROVED:				
 THIRD ANGLE PROJECTION	FINISH MILL	SIZE B	DWG NO.	PART NO.		REV
		4X4X12-ENCLOSURE		4X4X12-ENCLOSURE		-
			DO NOT SCALE DRAWING		SCALE = 1:2.5	SHEET 3 OF 4

SCALE = 1:2.5

SHEET 3 OF 4



SS PEM STUD
1/4-20 X 1.5" LONG

1/4-20 SS Serrated
Flange Locknut

Aluminum Spacer

SECTION A-A

UNLESS OTHERWISE SPECIFIED TOLERANCE ON FRACTIONS ARE ± 1/32 TWO PLACE DECIMALS ARE ± .015 THREE PLACE DECIMALS ARE ± .005 ANGLES ARE ± 1/2°	MATERIAL 304 SS	APPROVALS		DATE	DESCRIPTION 4"x4"x12" STAINLESS STEEL BOX WITH LOCKABLE LID
		DRAWN:	MF	3/28/2023	
		CHECKED:			
		APPROVED:			
THIRD ANGLE PROJECTION	FINISH MILL	SIZE B	DWG NO. 4X4X12-ENCLOSURE		PART NO. 4X4X12-ENCLOSURE
			DO NOT SCALE DRAWING		REV -

LPNEMA3RXENCLSS 4X4X12

